




Ceramic Infrared Panel Radiators


Hi- Heat Ceramic Elements are used throughout the world for many processes by a variety of industries. We have experience in providing the correct technical solution for many heating problems. This Hi- Heat range's main use is Plastic Forming,

SFE



Ratings (watts)	150	200	250	300	350	400	500	650	750	1000
Mean Surface temperature	235	300	340	370	400	420	450	520	555	600
Peak Wave Length	5.7	5	4.7	4.5	4.3	4.1	4	3.6	3.5	3.3

QSF



Ratings (watts)	50	150	250
Mean Surface temperature	175	450	590
Peak Wave Length	6.4	4	3.3

Victory Lighting . Ltd


Drewart-Energy sp. z o.o

+48 022 758 59 82


www.drewart.com.pl www.solart.pl

FSC

(Curved version)

**FSF**


(Flat version)




Ratings (watts)	150	250	300	350	400	500	650	750	1000
Mean Surface temperature	235	340	370	400	420	450	520	555	600
Peak Wave Length	5.7	4.7	4.5	4.3	4.1	4	3.6	3.5	3.3

HSC



(Curved version)

**HSF**

(Flat version)



Ratings (watts)	125	150	200	250	325	375	400	500
Mean Surface temperature	340	370	420	450	520	540	570	600
Peak Wave Length	4.7	4.5	4.1	4	3.6	3.5	3.4	3.3

LSC

Ratings (watts)	1500
Mean Surface temperature	600
Peak Wave Length	3.3



Victory Lighting . Ltd

Drewart-Energy sp. z o.o

+48 022 758 59 82

www.drewart.com.pl www.solart.pl

Method of Mounting Element.



CUT-OUT FOR MOUNTING LUG
(shown actual size)

Product	Wattage (W)	Volts (V)
SFE		
SFE150w230v	150	230
SFE200w230v	200	230
SFE250w230v	250	230
SFE300w230v	300	230
SFE350w230v	350	230
SFE400w230v	400	230
SFE500w230v	500	230
SFE650w230v	650	230
SFE750w230v	750	230
SFE1000w230v	1000	230
QSF		
QSF50w230v	50	230
QSF150w230v	150	230
QSF250w230v	250	230
FSC		
FSC150w230v	150	230
FSC250w230v	250	230
FSC300w230v	300	230
FSC350w230v	350	230
FSC400w230v	400	230
FSC500w230v	500	230
FSC650w230v	650	230
FSC750w230v	750	230
FSC1000w230v	1000	230
FSF		
FSF150w230v	150	230
FSF250w230v	250	230
FSF300w230v	300	230
FSF350w230v	350	230
FSF400w230v	400	230
FSF500w230v	500	230
FSF650w230v	650	230
FSF750w230v	750	230
FSF1000w230v	1000	230

Product	Wattage (W)	Volts (V)
HSC		
HSC125w230v	125	230
HSC150w230v	150	230
HSC200w230v	200	230
HSC250w230v	250	230
HSC325w230v	325	230
HSC375w230v	375	230
HSC400w230v	400	230
HSC500w230v	500	230
HSF		
HSF125w230v	125	230
HSF150w230v	150	230
HSF200w230v	200	230
HSF250w230v	250	230
HSF325w230v	325	230
HSF375w230v	375	230
HSF400w230v	400	230
HSF500w230v	500	230
LSC		
LSC1500w230v	1500	230